

SECTION 1 - CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name:	VELLMA Marmorino	
Product Uses:	High acrylic copolymer based putty, ready to use multipurpose decorative wall patching and skim coating compound for exterior and interior surfaces.	
Chemical Family:	Aqueous mixture of minerals (Lime Stone) and Acrylic Copolymer	
Manufacturer:	Paintsmore Marketing Sdn Bhd 72A, Jalan JED 4, Bandar Parklands, 41200 Klang, Selangor, Malaysia Tel: +603-33199949 Email: info@macoavell.com	
Distributed By:	Plastern Inc P.O. Box 20643 Floral Park, New York 11002 Tel: 1-888-877-2128 Email: info@plastern.com	
Emergency Number:	North America: 1-888-877-2128	Malaysia: +603-3319 9949

SECTION 2 - HAZARD(S) IDENTIFICATION


Signal words: Danger

Hazard statements:

- H318 Causes serious eye damage.
 H315 Causes skin irritation.
 H335 May cause respiratory irritation.

Precautionary statements:

- P264 Wash hands with water and soap thoroughly after handling.
 P280 Wear protective gloves / eye protection / face protection.
 P304+P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.
 P310 Immediately call a POISON CENTER or doctor.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Contains: Calcium hydroxide

Precautionary statements (GHS-US): (CONT)	P304+P341	victim to fresh air and keep at rest in a posi
	P304+P341	IF SWALLOWED: Immediately call a POISON

HMIS codes :

Health	1
Flammability	0
Reactivity	0
Protective equipment	B

Information concerning particular hazards for human and environment:

- May be harmful if ingested.
- Dust may be irritating to eyes, respiratory system, and skin.
- Not known to cause reproductive harm or birth defects.
- Keep out of reach of children.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS Number	Category	Approx %
(i) Calcium Hydroxide	1305-62-0	3.2/2 SKIN IRRIT. 2 H315 3.3/1 EYE DAMN. 1 H318 3.8/3 STOT SE 3 H335	30 ~ 60%
(ii) Limestone	1317-65-3		7 ~ 13%
(iii) Attapulgite	12174-11-7		1 ~ 10%
(iv) Titanium Dioxide	13463-67-7		1 ~ 10%
(v) Vinyl Acetate	108-05-4		1 ~ 10%

SECTION 4 - FIRST AID MEASURES

Eyes – Wash immediately with water (15 minutes) seek medical advice to avoid lasting effect. Do not rub eyes. Remove contact lenses.

Skin – Remove clothing from affected area. Rinse skin with water, then wash with soap and water, if rash occurs discontinue use and seek medical advice. Wash clothing before reuse.

Inhalation – No effects expected. Seek medical advice if problems develop. Not intended for ingestion.

Target Organs – Eyes, Skin, Respiratory System.

Primary route of entry – Inhalation, eyes, and contact with skin.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing Media : Water or use extinguishing media appropriate for surrounding fire.

Special Fire Fighting Instruction : Wear appropriate personal protective equipment. See Section 8.

Special Hazards : None known

SECTION 6 - ACCIDENTAL RELEASE MEASURE

Spill Procedure : Slippery when wet, wash area with water.

Clean-up : Use normal clean up procedures. No special precautions.

Disposal : In accordance with Local, State and Federal Regulations. Never discharge large releases directly into sewers or surface waters.

SECTION 7 - HANDLING AND STORAGE

- Keep away from children.
- Keep dry, do not store in direct sunlight.
- Discard empty containers in accordance with Local, State and Federal Regulations.
- Avoid contact with eyes, skin and clothing.
- Wear appropriate protective equipment (see Section 8).
- Keep containers closed when not in use.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters		
Occupational Exposure limits		
Ingredient Name	CAS Number	Exposure Limits
limestone	1317-65-3	ACGIH TLV (United States, 3/2016). TWA: 10 mg/m ³ 8 hours. Form: Respirable fraction OSHA PEL (United States, 6/2016). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust

Ingredient Name	CAS Number	Exposure Limits
Attapulgate	12174-11-7	ACGIH TLV (United States, 3/2016). TWA: 1 mg/m ³ 8 hours. Form: Respirable fraction OSHA PEL (United States, 6/2016). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
Titanium Dioxide	13463-67-7	OSHA PEL (United States, 6/2016). TWA: 15 mg/m ³ 8 hours. Form: Total dust ACGIH TLV (United States, 3/2016). TWA: 10 mg/m ³ 8 hours.
Vintl Acetate	108-05-4	ACGIH TLV (United States, 3/2016). TWA: 10 ppm ACGIH TLV-STEL: 15ppm OSHA PEL (United States, 6/2016). Not applicable
Calcium Hydroxide	1305-62-0	NIOSH REL TWA 5mg/m ³ OSHA PEL TWA 15mg/m ³ (total) 5mg/m ³ (resp)

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE , ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find how low to protect yourself and your family by contacting the National Lead Hotline at 1800-424-LEAD or log onto www.epa.gov/lead

Additional Information:

The lists valid during the making were used as a basis.

Personal Protective Equipment	
Ventilation	Use local exhaust. General exhaust acceptable if the exposure to materials above is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, and 1910.108.
Respiratory Protection	If personal exposure cannot or may not be controlled below applicable limits by ventilation, wear properly fitted respirator approved by NIOSH/MSHA for protection against materials described above.
Eye Protection	Wear safety glasses to reduce the potential for eye contact.
Skin Protection	Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: White / Coloured
Odor	: Mild Acetate Odor
Solubility	: 1.5 – 2.0
Specific Gravity	: 1.3 – 2.5
Flash Point	: Not Applicable
Auto Ignition Temperature	: Not Determined
Flammable Limit	: Not Determined

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability	: Stable
Conditions to avoid	: Contact with strong acids
Incompatibility	: Strong acids
Hazardous Polymerization	: Will not occur

SECTION 11 - TOXICOLOGICAL INFORMATION

According to the current knowledge, the product is harmless. Therefore no health damaging effects are expected if the instructions are being followed.

SECTION 12 - ECOLOGICAL INFORMATION

Ecological data are not available. According to the current knowledge, the product is harmless to the environment.

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of waste material according to Local, State and Federal Environmental Regulations. Never discharge directly into sewers or surface waters.

SECTION 14 - TRANSPORT INFORMATION

This product is not classified as hazardous under transport regulations. Transportation is done in bulk on bag form by road, rail and ship.

Shipping Name	: Same as product name
Packing Group	: None

SECTION 15 - REGULATORY INFORMATION

TSCA: The components of this mixture are listed or are exempt from listing in the Toxic Substance Control Act Inventory of Chemical Substances. This product does not contain any chemicals that would require export notification under Section 12(b) of the TSCA regulation. This product contains no: Cadmium (Cd), Chromium (Cr), Lead (Pb), Tin (Sn), nor any organic elements that can cause cancer.

This product contains no ozone-depleting compounds

SECTION 16 - OTHER INFORMATION

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his / her own particular use.

Disclaimer of Liability:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate and is only meant to describe the material in view of its safety aspects. All statements or suggestions are made without any warranty, express or implied.

Revised on 01 June 2018 (Version 1)